

DG
HG
RAINBOW
FINISH

TEXTURE
THAT
REFLECTS
EFFERVESCENT
charm

600x
1200mm

GVT
PGVT






trend setter

OUR PRODUCTS **NEVER GO OUT OF TREND**

FINE FEATURES

01



VARIOUS SIZES

You may maintain a delicate balance between the user experience and the building effort involved by choosing from one of our many sizes.

02



PURE HYGIENE SURFACE

With just one swipe, our tiles' incredibly high-quality layer gives you a completely hygienic surface.

03



FIRE RESISTANCE

We offer tiles that won't burn. Due to the material's inertness, a fire won't produce any toxins or volatile organic compounds (VOCs).

04



ABSORB OFF ODOURS

Our tiles have no pores and are water-resistant. They won't collect moisture or soil due to their 0.5% porosity, keeping your home odor-free.

05



TEMPERATURE RESISTANCE

Our tiles are temperature resistant and can withstand high temperatures up to 1600 C.

06



CHEMICAL RESISTANCE

Our ceramic materials have extremely high chemical resistance and stain resistance. The appropriate specified ceramic surfaces from Tree Tile can be installed in almost any commercial setting, including laboratories, hospitals, and processing plants.

CERAMIC. A SAFE CHOICE.

07



UV RESISTANCE

Our tiles are low-maintenance, UV-resistant, and able to handle high temperatures.

08



SCRATCH RESISTANCE

Tilers must use a diamond-edged cutter to score and cut the tiles because of the density and extreme toughness of our tiles. This demonstrates how highly resistant our tiles are to fading and other types of damage, including scratches.

09



FREEZE RESISTANCE

Our tiles have exceptional frost resistance due to their high levels of porosity and water absorption.

10



HIGHLY COMPACT MATERIAL

Our tiles are incredibly compact because we carefully pack and assemble all of our products.

11



IDEAL FOR HEATING FLOORS

Our tiles are perfect for heating flooring since they conduct without insulating and heat up quickly.

12




HEATING SUN RESISTANCE

Our tile surfaces prevent burns and marks from occurring. They are heat-resistant, also slow the spread of fire. This implies that a tile cannot emit any smoke or gas.

RAINBOW GLOSSY

COLLECTION



600x
1200mm

GVT & PGVT

RAIBOW

SEMI HIGH GLOSS

RANDOM - 4



ALFREDO

RANDOM - 10



BAZEL MULTI

RANDOM - 5



BLIZZART BLUE

RANDOM - 4



CAMBRIA FERN

RANDOM - 4



CENTURA BG

RANDOM - 4



CENTURA SKY

600x
1200mm

GVT & PGVT

RAIBOW

SEMI HIGH GLOSS



600x
1200mm | GVT & PGVT

RAIBOW | SEMI HIGH GLOSS

RANDOM - 4



DELONIX MULTI

RANDOM - 4



GLOBUS GREEN

RANDOM - 5



GLOBUS AQUA

RANDOM - 6



GEOX AQUA

RANDOM - 8



INDIGO YELLOW

RANDOM - 8



INDIGO GREEN

600x
1200mm

GVT & PGVT

RAIBOW | SEMI HIGH GLOSS



600x
1200mm

GVT & PGVT

RAIBOW | SEMI HIGH GLOSS

RANDOM - 4



HECKART

RANDOM - 4



MEADOWS GREEN

RANDOM - 3



MONTE CARLO

RANDOM - 5




ONTARIO WT

RANDOM - 4



ONYX AQUA BLUE GOLD

RANDOM - 4



PENFOLDS AQUA

600x
1200mm

GVT & PGVT


RAIBOW | SEMI HIGH GLOSS

RANDOM - 6



QUANTOM GOLD

RANDOM - 4




TRYCON SEPIA

RANDOM - 4



TRYCON BLUE

RANDOM - 6



SUNGLOW BLUE

RANDOM - 6



SUNGLOW YELLOW

RANDOM - 6



SUNGLOW AQUA

600x
1200mm

GVT & PGVT

RAIBOW | SEMI HIGH GLOSS



600x
1200mm

GVT & PGVT

RAIBOW | SEMI HIGH GLOSS

RANDOM - 4



ALBION BR

RANDOM - 4



ALLIANCE GREEN

RANDOM - 4



AQUOT

RANDOM - 4



DRYDEN MULTI

RANDOM - 4



MORRIS BROWN

RANDOM - 3



MYRTLE GREEN

600x
1200mm

GVT & PGVT

RAIBOW

SEMI HIGH GLOSS

RANDOM - 4




SPIRIT ONYX

RANDOM - 4



VALLEY AQUA

RANDOM - 4



VALLEY BLUE



HIGH GLOSS

COLLECTION




600x
1200mm

GVT & PGVT


HIGH GLOSS FINISH

RANDOM - 2




AEGIS BROWN

RANDOM - 4



AGATE AQUA

RANDOM - 4



AGATE NERO

RANDOM - 4



ANCHOR BLUE

RANDOM - 1



ARCARO

RANDOM - 4



ARISTA GRIS

600x
1200mm

GVT & PGVT

HIGH GLOSS FINISH




600x
1200mm

GVT & PGVT

HIGH GLOSS FINISH

RANDOM - 4



WHITE MARINE

RANDOM - 4



WHITE GOLD PORTORO

RANDOM - 1




WHITE PORTORO

RANDOM - 4




BLACK MARINE

RANDOM - 4



GOLD PORTORO

RANDOM - 1



BLACK PORTORO



600x
1200mm

GVT & PGVT

HIGH GLOSS FINISH




600x
1200mm

GVT & PGVT

HIGH GLOSS FINISH

RANDOM - 4



EURO EMPRADOR

RANDOM - 4



BLACKORT

RANDOM - 3



EVANS MULTY

RANDOM - 4




CAMEL BLUE

RANDOM - 4



EMFIO BROWN

RANDOM - 4



ARCTIC BLUE

600x
1200mm

GVT & PGVT

HIGH GLOSS FINISH



600x
1200mm

GVT & PGVT

HIGH GLOSS FINISH

RANDOM - 4



FLURRY EBONY

RANDOM - 4



FOX BLUE

RANDOM - 4



FOX BROWN

RANDOM - 2



HELIUM BK

RANDOM - 2



HELIUM BR

600x
1200mm

GVT & PGVT

HIGH GLOSS FINISH

RANDOM - 3



HIDDLESTONE

RANDOM - 4



JERIX BLUE

RANDOM - 3



LEMURIAN COBALT

RANDOM - 1



LIMESTONE

RANDOM - 4



LIZON BLUE

600x
1200mm

GVT & PGVT

HIGH GLOSS FINISH

RANDOM - 3



LIZON NATURAL

RANDOM - 4



LOUIS AQUA

RANDOM - 1



LOUIS BROWN

RANDOM - 4



MARSEILLE CHOCO

RANDOM - 1



METAL BRONZE

RANDOM - 3



METALIAM

600x
1200mm

GVT & PGVT

HIGH GLOSS FINISH



600x
1200mm

GVT & PGVT

HIGH GLOSS FINISH

RANDOM - 4



MACCAU CHOCCO

RANDOM - 3




MACCAU GREEN

RANDOM - 4




MACAU 7045

RANDOM - 5



MACAU AQUA

RANDOM - 4



MACAU BLUE

600x
1200mm

GVT & PGVT

HIGH GLOSS FINISH

RANDOM - 1



MIAMI PORTORO

RANDOM - 3




MIDNIGHT BLACK

RANDOM - 3



MIDNIGHT_BLUE

RANDOM - 3



NAIROBI AQUA

RANDOM - 3



MOSSINO BR

RANDOM - 4



PENTELICA

600x
1200mm

GVT & PGVT

HIGH GLOSS FINISH

RANDOM - 3



NEW SAHARA

RANDOM - 1



OXFORD

RANDOM - 4



PACIFIC AQUA

RANDOM - 4



PALLADIO BLUE

RANDOM - 4



PALLADIO BR

RANDOM - 4



PATAGONIA NATURAL

600x
1200mm

GVT & PGVT

HIGH GLOSS FINISH



600x
1200mm

GVT & PGVT

HIGH GLOSS FINISH

RANDOM - 4



LEVANTO IVORY (GLOSSY)

RANDOM - 4



PULPIS BIANCO (GLOSSY)

RANDOM - 4



ARMANI CORTEN

RANDOM - 4



LEVANTO BROWN

RANDOM - 4



PULPIS BK

RANDOM - 4



PULPIS BR

600x
1200mm | GVT & PGVT

HIGH GLOSS FINISH

RANDOM - 1



SEASCAPE AQUA

RANDOM - 4



SEASCAPE BLUE

RANDOM - 4



SAINT LUCIA

RANDOM - 3



SPARROW WT

RANDOM - 4



STERLING

RANDOM - 3



VALORANT

600x
1200mm

GVT & PGVT

HIGH GLOSS FINISH

RANDOM - 3




VOLUTAS CHOCO

RANDOM - 1



VOLUTAS AQUA

RANDOM - 3



VOLUTAS BLUE

RANDOM - 4



BLACK ONYX

RANDOM - 4



ZORDAN

RANDOM - 3



BLACK MARMO

600x
1200mm

GVT & PGVT

HIGH GLOSS FINISH



600x
1200mm

GVT & PGVT

HIGH GLOSS FINISH

RANDOM - 1



FIAMA CHOCO

RANDOM - 1



FIAMA BLUE

RANDOM - 4



MARSEILLE AZUL

RANDOM - 4



FLUDIC AQUA

RANDOM - 4



FLUDIC MARRON

RANDOM - 1



ROYAL AQUA

600x
1200mm

GVT & PGVT

HIGH GLOSS FINISH

RANDOM - 4




NEO AQUA

RANDOM - 4



SISAM WENGE

RANDOM - 3



REDIUM BROWN

RANDOM - 4



BLUE LEGACY

RANDOM - 1



COSTER_WOOD


RANDOM - 3



BLACK EMPRADOR

INFINITY HIGH GLOSSY

COLLECTION



600x
1200mm

GVT & PGVT

INFINITY

HIGH GLOSSY

RANDOM - 3



ALONZ BLUE

RANDOM - 3




ALONZ BROWN

RANDOM - 4



BLACK RIVER

RANDOM - 4



ELECTO BROWN

RANDOM - 4



EMERALD BROWN

RANDOM - 4



EMERALD NATURAL

600x
1200mm

GVT & PGVT

INFINITY

HIGH GLOSSY



600x
1200mm

GVT & PGVT

INFINITY


HIGH GLOSSY

RANDOM - 4



HEIMDALL BLUE

RANDOM - 4




MIMOSA

RANDOM - 3




PRUSSION CYAN

RANDOM - 4




ROCCIA

RANDOM - 4



STONELA BLUE

RANDOM - 4



STONELA BROWN

600x
1200mm | GVT & PGVT

INFINITY | HIGH GLOSSY

RANDOM - 4



SUNSTONE

RANDOM - 4



TIGER BLUE

RANDOM - 4



TIGER BROWN



LT-DK-HL

COLLECTION



600x
1200mm | GVT & PGVT

LT-DK-HL | HIGH GLOSSY

RANDOM - 1



HG HL - 05

RANDOM - 1



HG HL - 07

RANDOM - 1



HG HL - 09

RANDOM - 3



MIDNIGHT BLACK

RANDOM - 1



METAL BRONZE

600x
1200mm

GVT & PGVT

LT-DK-HL

HIGH GLOSSY

RANDOM - 1



HG HL - 08

RANDOM - 4



LIZON BLUE

RANDOM - 1




HG HL - 10

RANDOM - 4



PULPIS BIANCO (GLOSSY)

RANDOM - 1



HG HL - 01

RANDOM - 4



PULPIS BK

600x
1200mm

GVT & PGVT

LT-DK-HL

HIGH GLOSSY



600x
1200mm | GVT & PGVT

LT-DK-HL | HIGH GLOSSY

RANDOM - 3



NEW SAHARA LT

RANDOM - 1



HG HL - 11

RANDOM - 3




NEW SAHARA

RANDOM - 1



HG HL - 12

RANDOM - 1



OXFORD

600x
1200mm

GVT & PGVT

LT-DK-HL

HIGH GLOSSY

RANDOM - 1




HG HL - 13

RANDOM - 1




HG HL - 14

RANDOM - 3



HG HL 15


RANDOM - 1



PLAIN WT

DIAMOND GLASS

COLLECTION



600x
1200mm

GVT & PGVT

MATT R9

DIAMOND GLASS

RANDOM - 4



DG ANATOLIA

RANDOM - 4




DG BLACK LAVA

RANDOM - 3




DG VIENCE BLACK

RANDOM - 4



DG DEVONIAN BLACK

RANDOM - 4



DG EURO EMPRADOR

RANDOM - 4



DG GOLD PORTRO

600x
1200mm

GVT & PGVT

MATT R9

DIAMOND GLASS



600x
1200mm

GVT & PGVT

MATT R9

DIAMOND GLASS



600x
1200mm

GVT & PGVT

MATT R9

DIAMOND GLASS




600x
1200mm

GVT & PGVT

MATT R9

DIAMOND GLASS

RANDOM - 4



DG MERAKI COAL

RANDOM - 6



DG NOIR SAINT

RANDOM - 4




DG RAIN FOREST

RANDOM - 4



DG RUVIANA GOLD

RANDOM - 3



DG SPARROW WT

600x
1200mm

GVT & PGVT

MATT R9

DIAMOND GLASS



600x
1200mm

GVT & PGVT

MATT R9

DIAMOND GLASS



TECHNICAL SPECIFICATION

Sr No.	CHARACTERISTICS	ISO TEST METHODS	VITRIFIED TILES REQUIREMENT AS PER ISO 13006 Bla / EN176 Bla	VITRIFIED TILES IS 15622 : 2006 GROUP Bla	OUR VALUE
A	Dimention & Surface Quality				
1	Deviation in Length & Width	ISO 10545-2	+/- 0.6 %	+/- 0.1 %	+/- 0.1 %
2	Deviation in Thickness	ISO 10545-2	+/- 5.0 %	+/- 4.0 %	+/- 3.5 %
3	Straightness of sides	ISO 10545-2	+/- 0.5 %	+/- 0.1 %	+/- 0.08 %
4	Rectangularity	ISO 10545-2	+/- 0.6 %	+/- 0.1 %	+/- 0.1 %
5	Surface Flatness	ISO 10545-2	+/- 0.5 %	+/- 0.2 %	+/- 0.2 %
6	Color Difference	ISO 10545-2	Unaltered	Unaltered	No Change
7	Surface Coating	Nano Machine	As per Manufacturer Norms	As per Manufacturer Norms	As per Manufacturer Norms
B	Phisical Properties				
1	Water Absorption	ISO 10545-3	≤0.5%	≤0.08%	0.5 Below
2	Flexural Strength (MOR)	ISO 10545-4	≥ 35 N mm ²	≥ 44 N mm ²	44
3	Flexural Breaking Strength	SO 10545-4	> 1300 N	> 1500 N	1900 N
4	Bulk Density (GM/CC)	IDIN 51082	> 2 gm/cc	> 2.2 gm/cc	2.35 gm/cc
5	Glossiness	GLOSSOMETER	As per Manufacturer Norms	As per Manufacturer Norms	Min 95 %
6	Slip Resistance Coefficient of Friction	ISO 10545-17	> 0.4	> 0.4	> 0.6
C	Chemical Properties				
1	Staining Resistance	ISO 10545-14	Resistant	Resistant	Resistant
2	Household Chemicals	ISO 10545-13	No Damage	No Damage	No Damage
D	Thermal Properties				
1	Thermal Shock Resistance	ISO 10545-9	No Damage	No Damage	Passed
2	Thermal Expansion	ISO 10545-8	9 x 10 - 6 max	9x10 - 6 - k - 1 max	Passed
3	Moisture Expansion	ISO 10545-10	Nil	Nil	Passed

PACKING DETAIL

TILE SIZE	THICKNESS (approx)	NO. OF TILES PER BOX	WEIGHT / BOX (approx)	COVERAGE AREA Sq. Mtr. PER BOX (approx)
600 x 1200 mm	9.3 mm	2	30	1.44
195 x 1200 mm	9.3 mm	6	29	1.404

UTILITY OF TILES



Home



School



Restaurant



Bank



Hospital



Multiplex



Religion Place



Industry



Airport



Dance Mall



Gymnasium



Super Market